

# Package ‘SlidingWindows’

April 11, 2021

**Type** Package

**Title** Methods for Time Series Analysis

**Description** A collection of functions to perform Detrended Fluctuation Analysis (DFA exponent), GUEDES et al. (2019) <doi:10.1016/j.physa.2019.04.132> , Detrended cross-correlation coefficient (RHOD-CCA), GUEDES & ZEBENDE (2019) <doi:10.1016/j.physa.2019.121286>, DMCA cross-correlation coefficient and Detrended multiple cross-correlation coefficient (DMC), GUEDES & SILVA-FILHO & ZEBENDE (2018) <doi:10.1016/j.physa.2021.125990>, both with sliding windows approach.

**Version** 0.2.0

**Date** 2021-04-10

**Maintainer** Everaldo Freitas Guedes <efgestatistico@gmail.com>

**License** GPL-3

**URL** <https://github.com/efguedes/SlidingWindows>

**BugReports** <https://github.com/efguedes/SlidingWindows>

**NeedsCompilation** no

**Encoding** UTF-8

**Imports** stats, DCCA, PerformanceAnalytics, nonlinearTseries,  
TSEntropies

**Suggests** xts, zoo, quantmod

**RoxygenNote** 7.1.1

**Author** Everaldo Freitas Guedes [aut, cre]  
(<<https://orcid.org/0000-0002-2986-7367>>),  
Ivan Costa da Cunha Lima [aut]  
(<<https://orcid.org/0000-0002-4525-2346>>),  
Gilney Figueira Zebende [aut] (<<https://orcid.org/0000-0003-2420-9805>>),  
Aloísio Machado Silva-Filho [aut]  
(<<https://orcid.org/0000-0001-8250-1527>>)

**Repository** CRAN

**Date/Publication** 2021-04-11 04:20:02 UTC

## R topics documented:

descriptive.SlidingWindows . . . . .	2
dfa.SlidingWindows . . . . .	3
dmc.SlidingWindows . . . . .	4
dmca.SlidingWindows . . . . .	5
entropy.SlidingWindows . . . . .	6
rhodcca.SlidingWindows . . . . .	7
SlidingWindows . . . . .	8

<b>Index</b>	<b>9</b>
--------------	----------

---

descriptive.SlidingWindows

*Descriptive statistics with sliding windows.*

---

### Description

This function generates descriptive statistics of a univariate time series with sliding windows approach.

### Usage

```
descriptive.SlidingWindows(y, w = 99, skewness = "moment", kurtosis = "moment")
```

### Arguments

y	A vector containing univariate time series.
w	An integer value indicating the window size $w < length(y)$ . If $w = length(y)$ , will be computed the function will not slide.
skewness	A non-numeric value. See PerformanceAnalytics package.
kurtosis	A non-numeric value. See PerformanceAnalytics package.

### Details

This function include following measures: min, max, mean, median, standard deviation, skewness and kurtosis.

### Value

A list containing "w", "min", "max", "mean", "median", "standard deviation", "skewness" and "kurtosis".

### References

Guedes, E.F. Modelo computacional para análise de movimentos e co-movimentos de mercados financeiros, Ph.D. thesis, Programa de Pós-graduação em Modelagem Computacional e Tecnologia Industrial. Centro Universitário Senai Cimatec, 2019.

**Examples**

```
y <- rnorm(100)
descriptive.SlidingWindows(y, w=99, skewness="moment", kurtosis="moment")
```

---

dfa.SlidingWindows      *Detrended Fluctuation Analysis with sliding windows.*

---

**Description**

This function generates scaling exponents (long-range correlations) of a univariate time series with sliding windows approach.

**Usage**

```
dfa.SlidingWindows(y, w = 98, k = 10, npoints = 15)
```

**Arguments**

y	A vector containing univariate time series.
w	An integer value indicating the window size $w < length(y)$ . If $w = length(y)$ , will be computed the function will not slide.
k	An integer value indicating the boundary of the division ( $N/k$ ). The smallest value of $k$ is 4.
npoints	The number of different time scales that will be used to estimate the Fluctuation function in each zone. See nonlinearTseries package.

**Details**

This function include following measures: alpha\_dfa, se\_alpha\_dfa, r2\_alpha\_dfa.

**Value**

A list containing "w", "alpha\_dfa", "se\_alpha\_dfa", "r2\_alpha\_dfa".

**References**

GUEDES, E.F.; FERREIRA, P.; DIONISIO, A.; ZEBENDE, G.F. An econophysics approach to study the effect of BREXIT referendum on European Union stock markets. *PHYSICA A*, v.523, p.1175-1182, 2019. doi = "doi.org/10.1016/j.physa.2019.04.132".

FERREIRA, P.; DIONISIO, A.; GUEDES, E.F.; ZEBENDE, G.F. A sliding windows approach to analyse the evolution of bank shares in the European Union. *PHYSICA A*, v.490, p.1355-1367, 2018. doi = "doi.org/10.1016/j.physa.2017.08.095".

**Examples**

```
y <- rnorm(100)
dfa.SlidingWindows(y,w=99,k=10,npoints=15)
```

---

dmc.SlidingWindows      *Detrended multiple cross-correlation coefficient with sliding windows.*

---

**Description**

This function generates DMC Coefficient of three time series with sliding windows approach.

**Usage**

```
dmc.SlidingWindows(x1, x2, y, w = 98, k = 10, method = "rhodcca", nu = 0)
```

**Arguments**

x1	A vector containing univariate time series.
x2	A vector containing univariate time series.
y	A vector containing univariate time series.
w	An integer value indicating the window size $w < length(y)$ . If $w = length(y)$ , will be computed the function will not slide.
k	An integer value indicating the boundary of the division ( $N/k$ ). The smallest value of $k$ is 4.
method	A character string indicating which correlation coefficient is to be used. If method = "rhodcca" (default) the dmc coefficient is generated from the DCCA coefficient. If method = "dmca", the dmc coefficient is generated from the DMCA coefficient.
nu	An integer value. See the DCCA package.

**Details**

This function include following measures: w, timescale, dmc and cross-correlation between: yx1, yx2, x1x2

**Value**

A list containing "w", "dmc", "yx1", "yx2", "x1x2".

**References**

ZEBENDE, G.; SILVA-FILHO, A.M. Detrended multiple cross-correlation coefficient, Physica A 510, 91-97, 2018. doi="doi.org/10.1016/j.physa.2018.06.119".

GUEDES,E.F.;SILVA-FILHO, A.M.; ZEBENDE, G.F. Detrended multiple cross-correlation coefficient with sliding windows approach. Physica A, 125990, 2021. doi="doi.org/10.1016/j.physa.2021.125990".

### Examples

```
x1 <- rnorm(100)
x2 <- rnorm(100)
y <- rnorm(100)
dmc.SlidingWindows(x1,x2,y,w=99,k=10,nu=0, method="rhodcca")
dmc.SlidingWindows(x1,x2,y,w=99,k=10,nu=0, method="dmca")
```

---

dmca.SlidingWindows *DMCA coefficient with sliding windows.*

---

### Description

This function generates Detrending moving-average cross-correlation coefficient of two time series with sliding windows approach.

### Usage

```
dmca.SlidingWindows(x, y, w = 98, k = 10)
```

### Arguments

x	A vector containing univariate time series.
y	A vector containing univariate time series.
w	An integer value indicating the window size $w < length(y)$ . If $w = length(y)$ , will be computed the function will not slide.
k	An integer value indicating the boundary of the division ( $N/k$ ). The smallest value of $k$ is 4.

### Details

This function include following measures: w, timescale, dmca

### Value

A list containing "w", "timescale", "dmca".

### References

KRISTOUFEK, L. Detrending moving-average cross-correlation coefficient: Measuring cross-correlations between non-stationary series. PHYSICA A, v.406, p.169-175, 2014. doi="doi.org/10.1016/j.physa.2014.03.015".

### Examples

```
x <- rnorm(100)
y <- rnorm(100)
dmca.SlidingWindows(x,y,w=99,k=10)
```

entropy.SlidingWindows

*Approximate entropy with sliding windows.*

---

### Description

This function computes approximate entropy of a univariate time series with sliding windows approach.

### Usage

```
entropy.SlidingWindows(y, w = 99, k = 4, dim = 2, r = 0.5, lag = 1)
```

### Arguments

y	A vector containing univariate time series.
w	An integer value indicating the window size $w < length(y)$ . If $w = length(y)$ , will be computed the function will not slide.
k	An integer value indicating the boundary of the division ( $N/k$ ). The smallest value of $k$ is 4.
dim	The dimension of given time series. See TSEntropies package.
r	The radius of searched areas. See TSEntropies package.
lag	The downsampling. See TSEntropies package.

### Details

This function return the list with time series sliding windows.

### Value

A list containing "w", "ApEn", "FastApEn".

### References

Pincus, S.M. (1991). Approximate entropy as a measure of system complexity. Proc. Natl. Acad. Sci. USA, Vol. 88, pp. 2297–2301. doi="doi.org/10.1073/pnas.88.6.2297".

### Examples

```
y <- rnorm(100)
entropy.SlidingWindows(y, w=99, k=4, dim=2, r=.2, lag=1)
```

---

`rhodcca.SlidingWindows`*Detrended Cross-Correlation Coefficient with sliding windows.*

---

## Description

This function generates Detrended Cross-Correlation Coefficient of two time series with sliding windows approach.

## Usage

```
rhodcca.SlidingWindows(x, y, w = 98, k = 10, nu = 0)
```

## Arguments

<code>x</code>	A vector containing univariate time series.
<code>y</code>	A vector containing univariate time series.
<code>w</code>	An integer value indicating the window size $w < length(y)$ . If $w = length(y)$ , will be computed the function will not slide.
<code>k</code>	An integer value indicating the boundary of the division ( $N/k$ ). The smallest value of $k$ is 4.
<code>nu</code>	An integer value. See DCCA package.

## Details

This function include following measures:

`w`, `timescale`, `rhodcca`

## Value

A list containing "w", "timescale", "rhodcca".

## References

GUEDES, E.F.; ZEBENDE, G.F. DCCA cross-correlation coefficient with sliding windows approach. *PHYSICA A*, v.527, p.121286, 2019. doi="doi.org/10.1016/j.physa.2010.10.022".

ZEBENDE, G.F. DCCA cross-correlation coefficient: Quantifying level of cross-correlation, *Physica A*, v. 390, n. 4, p. 614-618, 2011. doi="doi.org/10.1016/j.physa.2019.121286".

## Examples

```
x <- rnorm(100)
y <- rnorm(100)
rhodcca.SlidingWindows(x,y,w=99,k=10,nu=0)
```

SlidingWindows      *Sliding Windows.*

---

**Description**

This function generates sliding windows approach of a time series.

**Usage**

```
SlidingWindows(y, w = 99)
```

**Arguments**

y	A vector containing univariate time series.
w	An integer value indicating the window size $w < length(y)$ . If $w = length(y)$ , will be computed the function will not slide.

**Details**

This function return the matrix with time series sliding windows.

**Value**

A list containing "w", "SlidingWindows".

**References**

Guedes, E.F. Modelo computacional para análise de movimentos e co-movimentos de mercados financeiros, Ph.D. thesis, Programa de Pós-graduação em Modelagem Computacional e Tecnologia Industrial. Centro Universitário Senai Cimatec, 2019.

**Examples**

```
y <- rnorm(100)
SlidingWindows(y,w=99)
```



# Index

`descriptive.SlidingWindows`, [2](#)  
`dfa.SlidingWindows`, [3](#)  
`dmc.SlidingWindows`, [4](#)  
`dmca.SlidingWindows`, [5](#)  
  
`entropy.SlidingWindows`, [6](#)  
  
`rhodcca.SlidingWindows`, [7](#)  
  
`SlidingWindows`, [8](#)